Worksystems

Aerial

Fixed height or Electric sit-to-stand desk.

Height
Fixed height: 720H
Electric Sit-to-stand: 620H min - 1270H max

Worktop Dimensions:
1200-2100L x 700-800W
Custom shapes and sizes available.

Slim round leg column design.

Frame speed when in motion: up to 35 mm/s.

Concealed cable management

Load capacity: 80kg (800N) per leg

Powdercoated frame in black or white.

Castors available on freestanding desks and 2pods .

Desk-mounted or frame-mounted screen options.

Simple kit of parts offers future flexibility.
Workstations can be reconfigured from
freestanding desks to 2pod configurations since
they use the same frames and many of the same
components.

Handset controller with position memory function.

Integrated collision avoidance system prevents
material damage or injury. System automatically
reverses direction if desk makes contact with a
solid object in motion.

GreenTag (pending)

AS/NZS 4442:2018

ISO14001

Aerial - fixed height - freestanding

Aerial - sit to stand - 2pod (shared frame)

Aerial - sit to stand - 3pod 120degree

Worksystems

Aerial

Height adjustment range

Aerial height adjustment profile

ownworld.com.au

Worksystems

Aerial

Configurations

Castors 80mmH

C-leg + H-leg - 12mm glide with 15mm adjustability

80

12

Castor and Glide details

1200, 1400, 1600

1600, 1800, 2000, 2100

700-800

620-1270

Screen Desk-mounted

1015 Frame
ARF-0241015

1315 Frame
ARF-0241315

620-1270

No screen

Freestanding - No Screen or Screen Desktop-mounted

1200, 1400, 1600

1600, 1800, 2000, 2100

700-800

700-1350

Screen Desk-mounted

1015 Frame
ARF-0241015-C

1315 Frame
ARF-0241315-C

700-1350

No screen

Freestanding on castors - No Screen or Screen Desktop-mounted

Castor and Glide details

Castors 80mmH — 80

C-leg + H-leg - 12mm glide with 15mm adjustability — 12

1200, 1400, 1600

1600, 1800, 2000, 2100

700-800

620-1270

1015 Frame
ARF-0241015

1315 Frame
ARF-0241315

Screen Frame-mounted

Freestanding - with Screen Frame-mounted

1200, 1400, 1600

1600, 1800, 2000, 2100

700-800

700-1350

1015 Frame
ARF-0241015-C

1315 Frame
ARF-0241315-C

Screen Frame-mounted

Freestanding on castors - with Screen Frame-mounted

Worksystems

Aerial

Configurations

1200, 1400, 1600 | 1600, 1800, 2000, 2100

700-800

1015 Frame | **1315 Frame**

620-1270

Straight 2pod - With Beam Mounted Screens

1200, 1400, 1600 | 1600, 1800, 2000, 2100

700-800

1015 Frame | **1315 Frame**

620-1270

Straight 2pod - With Desk Mounted Modesty Screens

1200-1400

700-800

620-1270

120deg 3pod with beam mounted screens (1500W + freestanding desks also available)

Worksystems

Aerial

Worktop Options

FEATURES

Standard Widht's:
1200,1400,1600,1800,2000 and 2100mm

Standard Depth's: 700, 750 and 800mm

Custom size and shape to suit your requirements.

25mm thick low emission MDF board

Finishes: Low- or high-pressure laminate, veneer finish or solid timber

Matching ABS or tekton edging

Optional cable port hole or cutout Scallop for cable management

Optional 70mm radiussed corners

---

square 2mm ABS

cutaway 2mm ABS

square timber tekton

Edge detail options

Square Corners

Cable port hole

70mm radiussed corners

Cable cutout - Scallop


Worksystems

Aerial

Divide Screens

Straight Corners

Radiussed Corners

Split Fabric

Modesty Panel

Rounded Screen

Stacking

**Wrap-Around (Full)**

Wrap-Around (Half)

Slide-On Rectangular

Slide-On Circular

Also compatible with:

Edge

Screenliner