



w225 lon p4040



w225 lon b9040



Article-specific information

Version	p4040	b9040
Mounting	Pin - integrated (hole \varnothing 14 mm)	Floor base
LED Colour temperature (CCT) / Luminous flux	3000 K / 439 lm	2700 K / 380 lm 3000 K / 405 lm
Voltage / System power	100–240 V / 6.3 W	100–240 V / 6.3 W
Efficacy	60 lm / W	70 lm / W
Beam angle / Optics	Wide / Lens	Narrow / Lens
Light control	Dimmable	Dimmable
Net weight	0.48 kg	3.3 kg
Packaging dimensions	L58.3 × W31.6 × H10.1 cm	L104.4 × W36.3 × H10.1 cm
Gross weight	2.1 kg	6.8 kg

2700 K Colour temperature (CCT)

Traffic white (RAL 9016)	<input type="radio"/>
Jet black (RAL 9005)	<input checked="" type="radio"/>
Raw tumbled	<input type="radio"/>

Art. No. / EAN code

Art. No. / EAN code

225B90400227N / 7330492000602
225B90400527N / 7330492000619

3000 K Colour temperature (CCT)

Traffic white (RAL 9016)	<input type="radio"/>
Jet black (RAL 9005)	<input checked="" type="radio"/>
Raw tumbled	<input type="radio"/>

Art. No. / EAN code

Art. No. / EAN code

225B90400230N / 7330492000589
225B90400530N / 7330492000596

Accessories

Adapter suitable for USM Haller Table	<input type="checkbox"/>
Adapter suitable for USM Haller Shelf	<input type="checkbox"/>
Adapter suitable for Vitra Joyn 2	<input type="checkbox"/>
Adapter suitable for Vitra Tyde 2	<input type="checkbox"/>
Narrow / Lens	<input type="checkbox"/>
Wide / Reflector & diffuser	<input type="checkbox"/>
Packaging dimensions	<input type="checkbox"/>


Art. No. / EAN code

Art. No. / EAN code

225ACC001 / 7330492002002
225ACC006 / 7330492002019
225ACC002 / 7330492002026
225ACC003 / 7330492002033
225-N01 / 7330492000688

225-W02 / 7330492001913

w225 lon br4040



w225 lon br0



Article-specific information

Version	br4040	br0
Mounting	Wall bracket	Wall bracket
LED Colour temperature (CCT) / Luminous flux	3000 K / 439 lm	2700 K / 380 lm 3000 K / 405 lm
Voltage / System power	100–240 V / 6.3 W	100–240 V / 6.3 W
Efficacy	60 lm / W	70 lm / W
Beam angle / Optics	Wide / Lens	Narrow / Lens
Light control	Dimmable	Dimmable
Net weight	0.5 kg	0.4 kg
Packaging dimensions	L58.3 × W31.6 × H10.1 cm	L15.4 × W14.3 × H13.1 cm
Gross weight	2.2 kg	0.6 kg

2700 K Colour temperature (CCT)

Traffic white (RAL 9016)	<input type="radio"/>
Jet black (RAL 9005)	<input checked="" type="radio"/>
Raw tumbled	<input type="radio"/>

Art. No. / EAN code

Art. No. / EAN code

225BR00227N / 7330492000664
225BR00527N / 7330492000671
225BR02027N / 7330492001906

3000 K Colour temperature (CCT)

Traffic white (RAL 9016)	<input type="radio"/>
Jet black (RAL 9005)	<input checked="" type="radio"/>
Raw tumbled	<input type="radio"/>

Art. No. / EAN code

225BR40400230W / 7330492000626
225BR40400530W / 7330492000633
225BR40402030W / 7330492001883

Art. No. / EAN code

225BR00230N / 7330492000640
225BR00530N / 7330492000657
225BR02030N / 7330492001890

Accessories

Adapter suitable for USM Haller Table	
Adapter suitable for USM Haller Shelf	
Adapter suitable for Vitra Joyn 2	
Adapter suitable for Vitra Tyde 2	
Narrow / Lens	225-N01 / 7330492000688
Wide / Reflector & diffuser	

Art. No. / EAN code

Art. No. / EAN code

225-W02 / 7330492001913